


BED TYPE MILLING MACHINE "T" SYSTEM NOVAR MOD.KBFT KBFT-4000X1000 - CNC UNIT SELCA 3045



TECHNICAL CHARACTERISTICS

TABLE

• table size	mm.	4000x1000
• number of T slots	n°	7
• width of T slots	mm.	22
• pitch of T slots	mm.	150
• table load	Kg.	10000

FEEDS & TRAVEL

• longitudinal travel	mm.	3700
• ram travel	mm.	1000
• column cross travel	mm.	1000
• vertical travel Ram	mm.	2000

TWO POSITIONS AUTOMATIC HEAD

• working positions	degree	orizz/vert
• spindle nose	ISO	50
• spindle speed	rpm	10-2250



SKIO Macchine Srl - 36010 Zanè (VI) - Italy Via M.Pasubio, 160
Tel. 0445 575720 fax 0445 501480 - C.F. e P.IVA 03981830247
Reg. Impr. 03981830247 - REA 369740 - Cap. Soc. I.V. € 40.000
TECHNOLOGY - MACHINE TOOLS - CUSTOMER CARE

www.skio.net

info@skio.net

- | | | |
|-----------------|----|----|
| • spindle motor | KW | 18 |
|-----------------|----|----|

GENERAL DATA

- | | | |
|------------------|-----|-----------|
| • floor space | mm. | 9100x5800 |
| • height machine | mm. | 4550 |
| • weight machine | Kg. | 22500 |



SKIO Macchine Srl - 36010 Zanè (VI) - Italy Via M.Pasubio, 160
Tel. 0445 575720 fax 0445 501480 - C.F. e P.IVA 03981830247
Reg. Impr. 03981830247 - REA 369740 - Cap. Soc. I.V. € 40.000
TECHNOLOGY - MACHINE TOOLS - CUSTOMER CARE

www.skio.net

info@skio.net

STANDARD ACCESSORIES

- CNC Unit SELCA 3045
- Indexing automatic head at 2 positions
- T-column translation
- CNC manuals
- Operator and maintenance manuals