

BED TYPE MILLING MACHINE NOVAR MOD.PARTNER-2200 CNC UNIT SELCA 3045



TECHNICAL CHARACTERISTICS

WORK TABLE

• table size	mm.	2200x700
• number of T slots	n°	5
• width of T slots	mm.	18
• pitch of T slots	mm.	125
• table load capacity	Kg.	3000

FEEDS & TRAVEL

• X axis travel (longitudinal)	mm.	2000
• Y axis travel (cross)	mm.	750
• Z axis travel (vertical)	mm.	800
• working feed	mm/min	1-4000
• rapid feed	mm/min	12000

SPINDLE

• spindle nose	ISO	40
• diameter of front bearing	mm.	60

TECNOLOGY - MACHINE TOOLS - CUSTOMER CARE SERVICE

www.olidali.com - info@olidali.com

www.skio.net - info@skio.net

• number of speed range with automatic gear box	n°	2
• spindle rotation speed with automatic head	rpm	2700
• spindle speed at first range	rpm	0-800
• spindle speed at second range	rpm	800-2700

TOOL MAGAZINE

• number of tools	n°	32
-------------------	----	----

MOTORS

• spindle motor power	KW	10
• motor power X axis	Nm	16
• motor power Y axis	Nm	10,4
• motor power Z axis	Nm	10,4

GENERAL DATA

• floor space	mm.	4920x3760
• height machine	mm.	2900
• weight machine	Kg.	9500

STANDARD ACCESSORIES

- CNC Unit SELCA 3045
- Auto lubrication system
- Hydraulic system
- Coolant system
- Splash guard CE Norm
- Z axis balancing system
- Electronic remotable handwheel
- Two-axis head with divisions (A axis manual, B axis automatic every $2.5^\circ \times 2.5^\circ$)
- Tool magazine with 32 positions
- Operator and maintenance manuals
- CNC manuals
- Year of construction 2000