

BED TYPE MILLING MACHINE "T" SYSTEM SACHMAN MOD.TRT10HS CNC UNIT SELCA 4045



TECHNICAL CHARACTERISTICS

LINEAR AXIS

● X axis travel (longitudinal)	mm.	3000
● Y axis travel (cross)	mm.	1210
● Z axis travel (vertical)	mm.	1000
● rapid feed	mm/min	25000

ROTARY TABLE

● table size	mm.	1200x1200
● table load	Kg.	5000

SPINDLE

● spindle nose	DIN 69871	50
● spindle speed	rpm	5000
● spindle motor	KW	18

AUTOMATIC TWO-AXIS HEAD

● automatic head on a 45° inclined plane, divisions on the two joints	degree	2,5°x1°
---	--------	---------

Dimensions and technical data are not demanding and can be changed at the discretion of the Manufacturer

TOOL MAGAZINE

- | | | |
|------------------------|----|----|
| ● tool magazine number | n° | 40 |
|------------------------|----|----|

GENERAL DATA

- | | | |
|------------------|-----|-----------|
| ● floor space | mm. | 6500x4400 |
| ● height machine | mm. | 3000 |
| ● weight machine | Kg. | 17100 |

STANDARD ACCESSORIES

- CNC Unit SELCA 4045
- Linear roller guideways
- Splash guard CE Norm
- Electronic remotable handwheel
- Chip conveyor chaine type
- Automatic head on a 45° inclined plane, divisions on the two joints degree 2,5x1 Kosmo
- Coolant through spindle high pressure
- Hydraulic system
- 4th axis rotary table continues
- Tool magazine with 40 positions chaine type horiz / vert
- Operator and maintenance manuals
- CNC manuals
- Year of construction 2002
- CE Mark